


















Model/ type	Description	Image	MSRP (€, VAT inc.)	Specs
HM-901 S Balanced	<i>Digital Music Player with different amplifier card;Black</i>		<b>1769</b>	-D/A Chip: ES9018*2 -Op-amp: OPA2107*2, OPA627*2 -Frequency response: 20Hz-20KHz -Dimensions: 72* 117* 29mm W*H*D -Weight: 8.8 Oz(250g) -Battery: 9 hours
HM-901 S Minibox			<b>1769</b>	
HM-802 w/Standard Card	<i>Digital Music Player with different amplifier card;Blue</i>		<b>879</b>	-D/A Chip: WM8740 -Op-amp: OPA2107*2, OPA627*2 -Frequency response: 20Hz-20KHz -Dimensions: 72* 117* 29mm W*H*D -Weight: 8.8 Oz(250g) -Battery: 9 hours -Slight color difference with HM-901
HM-802 w/Balanced Card			<b>999</b>	
HM-802 w/Minibox Card			<b>949</b>	
HM-802 w/IEM Card			<b>949</b>	
HM-650 w/Standard Card	<i>Digital Music Player with different amplifier card;Silver</i>		<b>549</b>	-D/A Chip: WM8740 -Frequency response: 20Hz-20KHz -Dimensions: 72* 117* 29mm W*H*D -Weight: 8.8 Oz(250g) -Battery: 9 hours
HM-650 w/Balanced Card			<b>749</b>	
HM-650 w/Minibox Card			<b>679</b>	
HM-650 w/IEM Card			<b>659</b>	






DOCK-1	<i>Docking station for HM-901/802</i>		<b>569</b>	-Package size: 29*22*10 cm W*H*D -Weight:1,25 kg
HM-700(16G) +RE400B	<i>Digital music player</i>		<b>219</b>	-Frequency response: 20Hz-20KHz -S/N: 91 dB -Battery life: 15 hours -On Board flash memory: 32GB -Size: 105*49*11mm W*H*D -Weight: 2.89Oz (82g)
HM-700(16G) +RE600B			<b>349</b>	
HE 6	<i>Planar Magnetic Headphone</i>		<b>1299</b>	-Frequency response: 8Hz-65KHz -Sensitivity: 83.5 Db -Impedance: 50 Ohms
HE-560	<i>Planar Magnetic Headphone</i>		<b>949</b>	-Frequency response: 15Hz-50KHz -Impedance: 35 Ohm -Sensitivity: 90 dB/mW -Weight: 13.3Oz (375g)

HE-400i	<i>Planar Magnetic Headphone</i>		<b>579</b>	<ul style="list-style-type: none"> <li>-Frequency Response: 20Hz -35KHz</li> <li>-Impedance: 35 Ohms</li> <li>-Efficiency: 93dB/mW</li> <li>-Weight: 13.05Oz (370g)</li> </ul>
HE-1000	<i>Planar Magnetic Headphone</i>		<b>3299</b>	<ul style="list-style-type: none"> <li>-Frequency response: 8Hz-65KHz</li> <li>-Sensitivity: 90dB</li> <li>-Impedance: 35+/-5 Ohms</li> </ul>
EF6	<i>Class A Solid State Headphone Amplifier</i>		<b>1799</b>	<ul style="list-style-type: none"> <li>-Power: CLC Filter 110 or 220V</li> <li>-Max output: 5W @50 Ohms</li> <li>-S/N: 95 dB</li> </ul>
EF5	<i>Tube Amplifier</i>		<b>569</b>	<ul style="list-style-type: none"> <li>-Op-amp: OPA275</li> <li>-Tube: Tianjin Fullmusic</li> <li>-Input: RCA Output: 6.35mm Stereo</li> <li>-Power: 110 or 220V</li> </ul>
EF100	EF100 Headphone Amplifier and integrated amplifier.		<b>569</b>	<ul style="list-style-type: none"> <li>-Input impedance: 47k</li> <li>-Amplifier output: each channel 4.5W(@4 Ohms)</li> <li>-Output impedance: 32-300 Ohm</li> <li>-Frequency response: 20-20KHz <math>\pm</math> 1db</li> <li>-Headphone amplifier output: 7.8V, 2000MW(32Ohm)</li> <li>-DAC chip: CM102S</li> </ul>

EF2A	<i>USB Tube Amplifier</i>		<b>189</b>	-DAC: Burr-Brown PCM2702 -Tube: China 6J1(*2)
RE-600	<i>Dynamic Driver In-ear Earphones</i>		<b>239</b>	-8.5mm Titanium-coated driver -Neodymium Magnet -Impedance: 16 Ohm Sensitivity: 102
RE-400	<i>Dynamic Driver In-ear Earphones</i>		<b>99</b>	-8.5 mm Titanium-coated driver -Impedance: 32 Ohm Sensitivity: 102 Db
RE-400i of RE400A	<i>InLine Control Earphone</i>		<b>104</b>	-Designed for iPhone/iPad/iPod or other Apple products – Android products -Rated: 10mW
RE-300a	<i>InLine Control Earphone (White and Black)</i>		<b>59</b>	-Designed for Android -8.5mm driver -Impedance:16Ohms -Sensitivity: 108dB
RE-300i	<i>InLine Control Earphone (White and Black)</i>		<b>59</b>	-Designed for iPhone/iPad/iPod or other Apple products -8.5mm driver -Impedance:16Ohms -Sensitivity: 108dB

2015

RE-300h	<i>InLine Control Earphone (White and Black)</i>		<b>59</b>	-Advanced OCC cabling -Impedance: 16 Ohms±3.2 -Sensitivity: 108 dB
Crystalline cable (8m)	<i>For HE Series Headphones</i>		<b>449</b>	-1,5/2m/3m/5m/8m crystalline copper and crystalline silver Cable(6.35mm adapter) - Packed with HE-560
Crystalline cable (5m)			<b>339</b>	
Crystalline cable (3m)			<b>219</b>	
OCC Balanced Cable(8m)	<i>For HE Series Headphones</i>		<b>379</b>	-Single Crystal Copper Balanced Cable -7m XLR cable&1m XLR to 6.35mm adapter
OCC Cable(5m)			<b>249</b>	Single Crystal Copper Balanced Cable -4m XLR cable&1m XLR to 6.35mm adapter
OCC Cable(3m)			<b>159</b>	Single Crystal Copper Balanced Cable -2m XLR cable&1m XLR to 6.35mm adapter

Silver-Coated Copper Cable(8m)	<i>For HE Series Headphones</i>		<b>129</b>	-8m Silver Cable(6.35mm adapter)
Silver-Coated Copper Cable(5m)			<b>104</b>	-5m Silver Cable(6.35mm adapter)
Silver-Coated Copper Cable(3m)			<b>59</b>	-3m Silver Cable(3.5/6.35mm adapter)
Canare Cable(8m)	<i>For HE Series Headphones</i>		<b>159</b>	-8m Canare Cable(6.35mm adapter)
Canare Cable(5m)			<b>119</b>	-5m Canare Cable(6.35mm adapter)
Canare Cable(3m)			<b>69</b>	-3m Canare Cable(3.5mm adapter)
Canare Balanced Cable(3m)	<i>For HE Series Headphones</i>		<b>79</b>	-Balanced Canare Cable -3m Coax to 3.5mm adapter
Replacement Battery	<i>For HM-901 player</i>		<b>109</b>	-Replacement Battery for HM-901 -Li-ion +7.4V 1600mAh, -7.4V 520mAh
Power Supply	<i>For HM-901 player</i>		<b>79</b>	-Replacement AC Adapter for HM-901 -Output: ±8.4V, 1.0A

AC Adapter for EF2A	<i>Adapter</i>		<b>35</b>	-Replacement AC Adapter for EF-2A USB Amplifier -Output: 16V, 0.8A
Travel case	<i>For HE Series Headphones</i>		<b>35</b>	-Crush Resistant Case for all
Focuspad	<i>For HE Series Headphones</i>		<b>49</b>	-Hybrid leather and velour earpad -Packed with HE-560
Leather Earpads	<i>For HE Series Headphones</i>		<b>27</b>	-Pair of replacement earpads for HE Series Headphones
Velour Earpads	<i>For HE Series Headphones</i>		<b>19</b>	-Pair of replacement earpads for HE Series Headphones
HE-adapter	<i>For HE-6, HE-5LE and HE-4</i>		<b>114</b>	- to protect amplifiers and headphones when using a speaker amplifier
Replacement Connectors	<i>For HE Series Headphones</i>		<b>19</b>	-Pair of replacement coax connectors

2015

---

Battery Charging system	<i>For HM-901</i>		59	
-------------------------	-------------------	--	----	--